Name:		SID:	
CS 61B Discussion	ı Quiz 1		
	SID above. Detach this page from so. These quizzes are used as	om your discussion handout, and turn attendance.	n it in when your
Questions			
1. Tell us a little al	oout yourself.		
2. What do you ex	pect to learn from the course?		
3. Please draw how	w you feel today in the box belo	w. :)	٦

This page is intentionally left blank.

1 Our First Java Program

Below is our first Java program of the semester. Next to each line, write out what you think the code will do when run. *This exercise is adapted from Head First Java*.

```
int size = 27;
   String name = "Fido";
 2
 3
   Dog myDog = new Dog(name, size);
   int x = size - 5;
 5
   if (x < 15) {
        myDog.bark(8);
 6
7
   }
8
9
   while (x > 3) {
10
        x -= 1;
11
        myDog.play();
12
   }
13
14
   int[] numList = {2, 4, 6, 8};
   System.out.print("Hello ");
15
   System.out.println("Dog: " + name);
16
17
   System.out.println(numList[1]);
18
19
   if (numList[3] == 8) {
20
        System.out.println("potato");
21
   }
```

2 Mystery

This is a function (a.k.a. method). It takes an array of integers and an integer as arguments, and returns an integer.

```
public static int mystery(int[] inputArray, int k) {
2
        int x = inputArray[k];
 3
        int answer = k;
 4
        int index = k + 1;
 5
        while (index < inputArray.length) {</pre>
 6
             if (inputArray[index] < x) {</pre>
 7
                 x = inputArray[index];
                 answer = index;
 8
9
10
             index = index + 1;
11
12
        return answer;
13
   }
```

Describe in English what mystery returns if inputArray = [3, 0, 4, 6, 3] and k = 2.

Extra: This is another function. It takes an array of integers and returns nothing.

```
public static void mystery2(int[] inputArray) {
    int index = 0;
    while (index < inputArray.length) {
        int targetIndex = mystery(inputArray, index);
        int temp = inputArray[targetIndex];
        inputArray[targetIndex] = inputArray[index];
        inputArray[index] = temp;
        index = index + 1;
    }
}</pre>
```

Describe what mystery2 does if inputArray = [3, 0, 4, 6, 3].

3 Writing Your First Program

Implement fib which takes in an integer n and returns the nth Fibonacci number.

```
The Fibonacci sequence is 0, 1, 1, 2, 3, 5, 8, 13, 21, \dots
```

```
public static int fib(int n) {
```

Extra: Implement fib in 5 lines or fewer. Your answer must be efficient.

```
public static int fib2(int n, int k, int f0, int f1) {
```

```
}
```

}