

1 Heaps of Fun


- 1.1 Assume that we have a binary min-heap (smallest value on top) data structure called `Heap` that stores integers, and has properly implemented `insert` and `removeMin` methods. Draw the heap and its corresponding array representation after each of the operations below:

```
1 Heap h = new Heap();
2 h.insert(5);
3 h.insert(7);
4 h.insert(3);
5 h.insert(1);
6 h.insert(2);
7 h.removeMin();
8 h.removeMin();
```

- 1.2 Your friend Sahil Finn-Garng challenges you to quickly implement an integer max-heap data structure. “Hah! I’ll just use my min-heap implementation as a template to write `MaxHeap.java`,” you think to yourself. Unfortunately, two Destroyer Penguins manage to delete your `MinHeap.java` file. You notice that you still have `MinHeap.class`. Can you still complete the challenge before time runs out?

Hint: You can still use methods from `MinHeap`.

2 Tree Traversals



- 2.1 Write the pre-order, in-order, post-order, and level-order traversals of the above binary search tree.

3 Quadrees

- 3.1 Draw the quadtree built by inserting the following nodes with the given coordinates.

insert A (2, 3);
insert B (-1, 1);
insert C (3, 2);
insert D (0, 0);
insert E (4, 4);
insert F (-3, 2);